



MATERIAL SAFETY DATA SHEET
FOR

STONE ENHANCER

MARBLELIFE urges customers or recipients of this MSDS to study it carefully to become aware of and understand the hazards associated with the product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology, and fire prevention, as necessary or appropriate to use and understand the data contained in this MSDS.

To promote safe handling, each customer or recipient should notify its employees, agents, contractors and others who it knows or believes might come in contact with this material of the information in this MSDS and any other information regarding hazards or safety.

I. IDENTIFICATION

MANUFACTURED FOR: M.L. Distribution, Inc., 5470 East Loop 820 South-Suite 110
Ft. Worth, TX 75050 as STONE ENHANCER

PRODUCT TRADE NAME: STONE GLAMOR

MANUFACTURER'S NAME: Sparks Southwest, Inc.
AND ADDRESS: 1804 Industrial Blvd.
Colleyville, TX 76034

EMERGENCY TELEPHONE NUMBERS: (CHEMTREC) 800-424-9300
DOT SHIPPING | LABEL NAME: Flammable liquid N.O.8 (naptha), 3, UN 1993, PGII
HAZARD RATING: Least = 0, Slight = 1, Moderate = 3, High = 4, Extreme = 5

Health = 1 Fire = 4 Reactivity = 0

II HAZARDOUS INGREDIENTS

CHEMICAL NAME	%WT	CAS NO.	ACGIH TLV/TWA	OSHA PEL/TWA
Petroleum Distillate (Mixture)	-45%	8052-41-3	100ppm	100ppm
Xylene	<1%	*1330-20-7	100ppm	100ppm
Acetone	-55%	67-64-1	750ppm	775ppm

NOTE – Ingredients preceded by a * indicate a toxic chemical subject to reporting requirements of SARA Title III, Section 313 (40 CFR 372)

III PHYSICAL DATA

	BOILING POINT (°F)	VAPOR PRESSURE (mm Hg)	VAPOR DENSITY (Air=1)	EVAPORATION RATE (1=Butyl Acetate)
Stone Enhancer	127F°	8.2	2.0	slow
	SPECIFIC GRAVITY	V.O.C	APPEARANCE AND ODOR	
	0.802	<600 g/l	Nearly Clear with acetone odor	

IV FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD):	4 degree F.
FLAMMABLE CLASS:	1B
FLAMMABLE LIMITS:	
Lower Explosion Limits	2.5
Upper Explosion Limits	12.8
EXTINGUISHING MEDIA:	NFPA Class B extinguishers (CO-2 or foam) for Class 1B liquid fires
SPECIAL FIRE FIGHTING PROCEDURES:	Water spray may be ineffective on fire but can protect fire fighters and cool containers. Use fog nozzles if water is used. Do not enter confined fire space without full bunker gear (helmet with full face shield, bunker coats, gloves, and rubber boots. Use a NIOSH approved positive pressure self-contained breathing apparatus.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Flammable! Keep containers tightly close. Isolate from sources of ignition such as: Oxidizers, heat, sparks, flame, electrical equipment. Closed containers may explode if exposed to extreme heat. Empty container is very hazardous. Continue all label precautions.

V HEALTH HAZARD DATA

EYE CONTACT:	Primary eye irritant. Causes stinging, tearing, redness and swelling. Flush eyes for 15 minutes and seek medical attention.
SKIN CONTACT:	Primary skin irritant. Can cause defatting; dermatitis. Flush with water. IF irritation or redness persist, seek medical attention.
INHALATION:	Anesthetic. Respiratory Irritant. Breathing high concentrations of vapors or mist may cause irritation of the nose and throat. Remove to fresh air. If symptoms persist seek medical attention. Administer oxygen if breathing is difficult. Administer artificial respiration if not breathing (CPR).
INGESTION:	Unlikely route of exposure. Harmful or fatal if swallowed. Can cause abdominal irritation, nausea, vomiting and diarrhea. CALL PHYSICIAN IMMEDIATELY! Do not induce vomiting. Have person lie down, keep warm and calm. Vomiting may lead to aspiration into lungs causing pneumonitis which may be fatal. Do not leave unattended.

VI REACTIVITY DATA

STABILITY:	Stable.
CONDITIONS TO AVOID:	Heat, sparks, electrical equipment and open flame
INCOMPATIBILITY (MATERIALS TO AVOID):	Oxidizing materials

MARBLELIFE STONE ENHANCER

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS:

Carbon monoxide, carbon dioxide from burning

HAZARDOUS POLYMERIZATION:

Will not occur

VII SPILL OR LEAK PROCEDURES

SPILL, LEAK AND WASTE DISPOSAL PROCEDURES**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

Large Spills: Isolate from sources of ignition. Keep people clear of area that are without protective clothing.

Small Spills: Mop up with absorbent material.

WASTE DISPOSAL METHODS:

Large : Recycle or incinerate observing local, state and federal regulations.

Small : Evaporate until all vapors are gone. Dispose of remainder by legally applicable methods.

VIII SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

Wear organic respirator when working with large amounts or an extended length of time.

VENTILATION:

Necessary. Ventilate with fresh air.

PROTECTIVE CLOTHING:

Chemical resistant gloves, aprons and shoes.

EYE PROTECTION:

Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. (Consult your safety equipment supplier.) Do not wear contact lenses because they may contribute to the severity of an eye injury.

OTHER PROTECTIVE EQUIPMENT:

Solvent-resistant boots and headgear. Safety shower and eyewash.

IX SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Store away from oxidizing materials in a cool, dry place with adequate ventilation. Keep away from heat and open flames. Keep containers tightly closed when not dispensing product. Wash up with soap and water before eating, drinking, smoking or using toilet facilities. Launder contaminated clothing before reuse. Containers of this material may be hazardous when emptied, since emptied containers retain product residues (vapor, liquid, and/or solid). All hazard precautions given in the Data sheet must be observed. Vent containers frequently, and more often in warm temperatures, to relieve pressure. Do not use pressure to empty the containers. Containers must be bonded and grounded when pouring or transferring this material. Use only non-sparking tools. Do not cut, grind, weld, or drill on or near this container.

OTHER PRECAUTIONS:

Empty containers are still hazardous. Continue precaution as though still containing product

DISCLAIMER:

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. MARBLELIFE, Inc., M.L. Distribution, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize themselves with all applicable regulations.

DATE OF PREPARATION: April 28, 2004

Revision sections in this issue: Address Change of M.L. Distribution, Inc. Date: July 15, 2004

Last Reviewed: 12/30/05

Printed in USA